



## Evaluation Listing CCMC 14153-L Armour Side

**MasterFormat:** 07 46 16.02  
**Evaluation issued:** 2020-06-17

### 1. Evaluation

The product conforms to CAN/CGSB-93.4-92, “Galvanized Steel and Aluminum–Zinc Alloy Coated Steel Siding, Soffits and Fascia, Prefinished, Residential.”

### 2. Description

The bevel aluminum-zinc alloy coated steel siding product is available in Double 95.25 mm (3.75 in.), 150 mm (6 in.) and 203 mm (8 in.) panel widths, available in standard lengths of 3 658 mm (144 in./12 LFT).

**Table 2.1 Type and Classification of the Product**

Product	Type	Classification
Armour Side	Horizontal, vertical	Plain

### 3. Standard and Regulatory Information

See the Annex appended to this Listing, which summarizes the product standard.

This/these product(s) was/were evaluated to the product standard referenced in the Annex current as of 2019-09-26. Note that the Annex may have been updated since this Listing was issued to include more recent editions of the applicable product standard. Therefore, this Listing may not reflect the requirements contained in any updated version of this product standard.

### Listing Holder

Wayne Building Products  
12603 - 123 Street NW  
Edmonton, AB T5L 0H9

**Tel.:** 800-763-6378

**Web site:** [www.armourside.com](http://www.armourside.com)

### Plant(s)

Edmonton, AB

### Disclaimer

*This Listing is issued by the Canadian Construction Materials Centre, a program of the Construction Research Centre at the National Research Council of Canada. The Listing must be read in the context of the entire CCMC Registry of Product Evaluations.*

*Readers must confirm that the Listing is current and has not been withdrawn or superseded by a later issue. Please refer to [http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc\\_index.html](http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc_index.html), or contact the Canadian Construction Materials Centre, Construction Research Centre, National Research Council of Canada, 1200 Montreal Road, Ottawa, Ontario, K1A 0R6. Telephone 613-993-6189. Fax 613-952-0268.*

*NRC has evaluated the material, product, system or service described herein only for those characteristics stated herein. The information and opinions in this Listing are directed to those who have the appropriate degree of experience to use and apply its contents. This Listing is provided without representation, warranty, or guarantee of any kind, expressed, or implied, and the National Research Council of Canada (NRC) provides no endorsement for any evaluated material, product, system or service described herein. NRC accepts no responsibility whatsoever arising in any way from any and all use and reliance on the information contained in this Listing. NRC is not undertaking to render professional or other services on behalf of any person or entity nor to perform any duty owed by any person or entity to another person or entity.*

**Date modified:**  
2020-09-16